

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Chloride No.1

Revision date 11-28-2024 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) PL65Chloride1

Product Name Chloride No.1

Unique Formula Identifier (UFI) JCFP-9M0H-742P-PR6A

Pure substance/mixture Mixture

Contains Methyl alcohol, Thiocyanic acid, mercury(2+) salt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Reagent for water analysis

Uses advised against Others

1.3. Details of the supplier of the safety data sheet

Manufacturer

Water-i.d. GmbH Daimlerstr. 20

76344 Eggenstein, Germany

Tel.: +49 (0) 721 78 20 29 0, Fax: +49 (0) 721 78 20 29 11

Website: www.water-id.com

EHS / Compliance: lab@water-id.com

1.4. Emergency telephone number

Emergency Telephone

United Kingdom	+44 1235 239670
	English

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 3 - (H301)
Acute toxicity - Dermal	Category 2 - (H310)
Acute toxicity - Inhalation (Dusts/Mists)	Category 2 - (H330)
Specific target organ toxicity — single exposure	Category 1 - (H370)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Hazardous to the aquatic environment - chronic	Category 3 - (H412)

2.2. Label elements

Contains Methyl alcohol, Thiocyanic acid, mercury(2+) salt



Signal word Danger

Hazard statements

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

H370 - Causes damage to organs

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust, fume, gas, mist, vapors and spray

P262 - Do not get in eyes, on skin, or on clothing

P280 - Wear protective gloves and protective clothing

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Additional information

This product requires tactile warnings if supplied to the general public. This product requires child resistant fastenings if supplied to the general public.

2.3. Other hazards

Harmful to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to	Specific concentration	M-Factor	M-Factor (long-term)
				Regulation (EC) No. 1272/2008 [CLP]	limit (SCL)		
Methyl alcohol 67-56-1	90-100	No data available	200-659-6	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)			
Thiocyanic acid, mercury(2+) salt 592-85-8	<1	No data available	209-773-0	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Acute Tox. 2 (H330) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Methyl alcohol 67-56-1	6200	15840		41.6976	
Thiocyanic acid, mercury(2+) salt 592-85-8	46	685			

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. IF exposed or concerned: Get medical advice/attention.

Eye contactGet immediate medical attention. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

Skin contactGet immediate medical attention. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapour or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8

for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Do not breathe vapour

or mist. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Do not breathe vapour or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust

ventilation. Do not eat, drink or smoke when using this product.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe vapour or mist. Contaminated work clothing should not be

allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 266 mg/m ³	TWA: 260.0 mg/m ³	TWA: 260 mg/m ³
	*	STEL 800 ppm	STEL: 250 ppm	K* Š	*
		STEL 1040 mg/m ³	STEL: 333 mg/m ³		
		H*	*		
Thiocyanic acid,	TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³	-	-	-
mercury(2+) salt		TWA: 0.01 mg/m ³			
592-85-8		STEL 0.08 mg/m ³			
		STEL 0.1 mg/m ³			
	_	H*			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Methyl alcohol	*	TWA: 250 mg/m ³	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 200 ppm	Ceiling: 1000 mg/m ³	TWA: 260 mg/m ³	TWA: 250 mg/m ³	TWA: 270 mg/m ³
	TWA: 260 mg/m ³	*	H*	STEL: 250 ppm	STEL: 250 ppm
				STEL: 350 mg/m ³	STEL: 330 mg/m ³
			T14/4 0 00 / 0	A*	iho*
Thiocyanic acid,	-	-	TWA: 0.02 mg/m ³ TWA: 0.05 mg/m ³	-	TWA: 0.02 mg/m ³ TWA: 1 mg/m ³
mercury(2+) salt 592-85-8			H*		STEL: 5 mg/m ³
392-63-6			П		iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Methyl alcohol	TWA: 200 ppm	TWA: 100 ppm	TWA: 100 ppm	TWA: 200 ppm	TWA: 260 mg/m ³
67-56-1	TWA: 260 mg/m ³	TWA: 130 mg/m ³	TWA: 130 mg/m ³	TWA: 260 mg/m ³	* *
	STEL: 1000 ppm		Peak: 200 ppm	STEL: 250 ppm	
	STEL: 1300 mg/m ³		Peak: 260 mg/m ³	STEL: 325 mg/m ³	
			*	skin - potential for	
				cutaneous	
				absorption	
Thiocyanic acid,	TWA: 0.1 mg/m ³	TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³	-	-
mercury(2+) salt	TWA: 5 mg/m ³		TWA: 2 mg/m ³		
592-85-8			Peak: 0.16 mg/m ³		
			Peak: 2 mg/m ³		
Observational reserva	landa and	It-It-MDI DC	* It-l. AIDII	1 -6	1:45
Chemical name	Ireland	Italy MDLPS TWA: 200 ppm	Italy AIDII	Latvia	Lithuania *
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 262 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm
1-06-10	STEL: 600 ppm		STEL: 250 ppm	1 VVA. 200 HIg/HI ³ *	TWA: 200 ppm TWA: 260 mg/m ³
	STEL: 780 mg/m ³	pelle*	STEL: 250 ppm STEL: 328 mg/m ³		1 VVA. 200 HIg/III
	Sk*		*		
Thiocyanic acid,	TWA: 5 mg/m ³	TWA: 0.02 mg/m ³	-	_	-
mercury(2+) salt	TWA: 0.02 mg/m ³	pelle*			
592-85-8	STEL: 15 mg/m ³				
	STEL: 0.06 mg/m ³				
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Methyl alcohol	*	*	TWA: 100 ppm	STEL: 150 ppm	STEL: 300 mg/m ³
67-56-1	TWA: 200 ppm	TWA: 200 ppm	TWA: 133 mg/m ³	STEL: 162.5 mg/m ³	TWA: 100 mg/m ³
	TWA: 260 mg/m ³	TWA: 260 mg/m ³	H*		

Revision date	11-28-2024

Thiocyanic acid, mercury(2+) salt 592-85-8		-	-	TWA: 0.9 ppm TWA: 1 mg/m³ TWA: 0.02 mg/m³ STEL: 4.5 ppm STEL: 5 mg/m³ H*		0.06 mg/m ³ 10 mg/m ³	TWA: 0.02 mg/m ³
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
Methyl alcohol 67-56-1	TWA	'A: 200 ppm A: 260 mg/m ³ EL: 250 ppm	TWA: 200 ppm TWA: 260 mg/m³ *	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 2	200 ppm 260 mg/m ³ STEL ppm TEL mg/m ³	TWA: 200 ppm TWA: 266 mg/m³ vía dérmica*
Thiocyanic acid, mercury(2+) salt 592-85-8	TWA	: 0.02 mg/m ³	-	-		-	TWA: 0.02 mg/m ³
Chemical name		Sweden		Switzerland		Uni	ted Kingdom
Methyl alcohol 67-56-1		NGV: 2 Vägledande	200 ppm 250 mg/m³ 8 KGV: 250 ppm KGV: 350 mg/m³	TWA: 200 ppn TWA: 260 mg/r STEL: 400 ppr STEL: 520 mg/r H*	n ³ n	TW/ STI	/A: 200 ppm A: 266 mg/m ³ EL: 250 ppm L: 333 mg/m ³ Sk*
Thiocyanic acid, mercury salt 592-85-8	y(2+)		-	TWA: 0.02 mg/r TWA: 0.01 mg/r STEL: 0.16 mg/r H*	m³		A: 0.02 mg/m ³ VA: 5 mg/m ³ Sk*

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulg	garia	Croatia	Czech Republic
Methyl alcohol	-	-		-	7.0 mg/g Creation	
67-56-1					- urine (Methan	
					at the end of the	
					work shift	15 mg/L (urine -
						Methanol end of
						shift)
Chemical name	Denmark	Finland		nce	Germany DF	
Methyl alcohol	-	-		urine	15 mg/L (urine	
67-56-1				l) - end of	Methanol end	
			sh	nift	shift)	shift)
					15 mg/L (urine	
					Methanol for	
					long-term	long-term
					exposures: at t	
					end of the shift a	
					several shifts	· 1
					15 mg/L - BAT	(for
					long-term	46.0
					exposures: at tend of the shift a	
					several shifts) u	
					15 mg/L - BAT (
					of exposure or	
					of shift) urine	
Chemical name	Hungary	Irelan	d d	Ital	/ MDLPS	Italy AIDII
Methyl alcohol	30 mg/L (urine -	15 mg/L (u	urine -		-	15 mg/L - urine
67-56-1	Methanol end of shift)	Methanol end				(Methanol) - end of shift
	940 µmol/L (urine -					() :
	Methanol end of shift)					
Chemical name	Latvia	Luxembo	ourg	R	omania	Slovakia
Methyl alcohol	-	-		6 mg/L - u	rine (Methanol)	30 mg/L (urine -
67-56-1					nd of shift	Methanol end of

				exposure or work shift) 30 mg/L (urine - Methanol after all work shifts)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Methyl alcohol 67-56-1	30 mg/L - urine (Methanol) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	15 mg/L (urine - Methanol end of shift)	30 mg/L (urine - Methanol end of shift, and after several shifts (for long-term exposures))	-

Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Wear suitable gloves. Impervious gloves. Hand protection

Skin and body protection Impervious clothing. Wear suitable protective clothing. Long sleeved clothing. Chemical

resistant apron.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do **General hygiene considerations**

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe vapour or mist. Contaminated work clothing should not be

allowed out of the workplace.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid colourless Colour Odour Organic.

Odour threshold

Property Values Remarks • Method

No data available Melting point / freezing point None known Boiling point / boiling range No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive

No data available

limits

Lower flammability or explosive No data available

limits

No data available Flash point None known No data available None known **Autoignition temperature**

PL65CHLORIDE1 - Chloride No.1

Revision date 11-28-2024

Decomposition temperature None known рΗ No data available None known

pH (as aqueous solution) No data available No information available

Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known No data available Water solubility None known No data available Solubility(ies) None known No data available Partition coefficient None known No data available Vapour pressure None known No data available Relative density None known

No data available **Bulk density Liquid Density** No data available

Relative vapour density No data available None known

Particle characteristics Particle Size

Particle Size Distribution

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Excessive heat.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on

components).

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Fatal in contact with skin.

(based on components).

Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed. (based

on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 99.00 mg/kg
ATEmix (dermal) 197.50 mg/kg
ATEmix (inhalation-dust/mist) 0.4642 mg/l
ATEmix (inhalation-vapour) 42.10 mg/l

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
Thiocyanic acid, mercury(2+) salt	= 46 mg/kg (Rat)	= 685 mg/kg (Rat)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been

determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties

11.2.2. Other information

Other adverse effects

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicityContains 0.88 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methyl alcohol	-	LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas)	-	-

12.2. Persistence and degradability

Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Methyl alcohol	-0.77

12.4. Mobility in soil

Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment

Methyl alcohol	The substance is not PBT / vPvB PBT assessment does not apply Further information relevant for the PBT
	assessment is necessary

12.6. Endocrine disrupting properties

Endocrine disrupting properties

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID numberUN123014.2 UN proper shipping nameMethanol14.3 Transport hazard class(es)3Subsidiary hazard class6.1

14.4 Packing group

Description UN1230, Methanol, 3 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A113 ERG Code 3L

<u>IMDG</u>

14.1 UN number or ID numberUN123014.2 UN proper shipping nameMethanol14.3 Transport hazard class(es)3Subsidiary hazard class6.1

14.4 Packing group

Description UN1230, Methanol, 3 (6.1), II

NP

14.5 Marine pollutant

14.6 Special precautions for user

Special Provisions 279 EmS-No F-E, S-D

14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN number or ID number UN1230 **14.2 UN proper shipping name** UN1230 Methanol

14.3 Transport hazard class(es)
Subsidiary hazard class
14.4 Packing group
II

Description UN1230, Methanol, 3 (6.1), II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 279
Classification code FT1

ADR

14.1 UN number or ID number UN1230 Methanol

14.3 Transport hazard class(es) 3
Subsidiary hazard class 6.1
14.4 Packing group ||

Description UN1230, Methanol, 3 (6.1), II, (D/E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 279
Classification code FT1
Tunnel restriction code (D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Methyl alcohol	RG 84	-
67-56-1		

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

This product contains one of more substance(s) sub-	ject to restriction (regulation (EG) No.	30772000 (INE/KOTI), ATTITICX XVII)
Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Methyl alcohol - 67-56-1	69.	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

H3 - STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methyl alcohol - 67-56-1	500	5000

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

ENCS Does not comply
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H225 - Highly flammable liquid and vapour

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H370 - Causes damage to organs

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method

Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 11-28-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet