

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

# **Electronic Conductivity Neutralizer**

Revision date 01-09-2025 Revision Number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Code(s) EMECneutr30

Product Name Electronic Conductivity Neutralizer

Unique Formula Identifier (UFI) 1Q8Y-MKDF-P22P-7VG4

Pure substance/mixture Contains Ethylene glycol

Mixture

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Conditioning reagent

Uses advised against Others

# 1.3. Details of the supplier of the safety data sheet

### **Manufacturer**

Water-i.d. GmbH Daimlerstr. 20

76344 Eggenstein, Germany

Tel.: +49 (0) 721 78 20 29 0, Fax: +49 (0) 721 78 20 29 11

Website: www.water-id.com

EHS / Compliance: lab@water-id.com

# 1.4. Emergency telephone number

Emergency Telephone +44 1235 239670

English, Albanian, Bosnian, Bulgarian, Croatian, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Spanish, Swedish, Turkish and Ukrainian.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)

### 2.2. Label elements

Contains Ethylene glycol



#### Signal word Warning

#### **Hazard statements**

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

# Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust, fume, gas, mist, vapors and spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P312 - Call a POISON CENTER or doctor if you feel unwell

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

#### **Additional information**

This product requires tactile warnings if supplied to the general public.

#### 2.3. Other hazards

No information available.

# SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Ethylene glycol 107-21-1	70-90	No data available	203-473-3	Acute Tox. 4 (H302) STOT RE 2 (H373)			
Acetic acid 64-19-7	1-5	No data available	200-580-7	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	Skin Corr. 1B:: 25%<=C<90% Skin Irrit. 2:: 10%<=C<25% Skin Corr. 1A:: C>=90% Eye Irrit. 2:: 10%<=C<=25%		

# Full text of H- and EUH-phrases: see section 16

# Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Ethylene glycol 107-21-1	4700	10600	3.75		
Acetic acid 64-19-7	3310	1060	11.4		

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SECTION 4: First aid measures

4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

# 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections**See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Ethylene glycol	TWA: 20 ppm	TWA: 10 ppm	*	STEL: 40 ppm	TWA: 20 ppm
107-21-1	TWA: 52 mg/m <sup>3</sup>	TWA: 26 mg/m <sup>3</sup>		STEL: 104 mg/m <sup>3</sup>	TWA: 52 mg/m <sup>3</sup>
	STEL: 40 ppm	STEL 20 ppm		TWA: 52 mg/m <sup>3</sup>	STEL: 40 ppm
	STEL: 104 mg/m <sup>3</sup>	STEL 52 mg/m <sup>3</sup>		TWA: 20 ppm	STEL: 104 mg/m <sup>3</sup>
	*	H*		K*	*
Acetic acid	-	TWA: 10 ppm	TWA: 10 ppm	STEL: 50 mg/m <sup>3</sup>	TWA: 10 ppm
64-19-7		TWA: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>	STEL: 20 ppm	TWA: 25 mg/m <sup>3</sup>

			STEL 20 ppm	STEL: 15 ppm		25 mg/m <sup>3</sup>	STEL: 20 ppm
	_		STEL 50 mg/m <sup>3</sup>	STEL: 38 mg/m <sup>3</sup>		: 10 ppm	STEL: 50 mg/m <sup>3</sup>
Chemical name	Cyprus	i	Czech Republic	Denmark		stonia	Finland
Ethylene glycol	*		TWA: 50 mg/m <sup>3</sup>	TWA: 10 ppm		: 20 ppm	TWA: 20 ppm
107-21-1	STEL: 40 p		Ceiling: 100 mg/m <sup>3</sup>	TWA: 26 mg/m <sup>3</sup>		52 mg/m <sup>3</sup>	TWA: 50 mg/m <sup>3</sup>
	STEL: 104 n		*	TWA: 10 mg/m <sup>3</sup>		: 40 ppm	STEL: 40 ppm
	TWA: 20 p			H*		104 mg/m <sup>3</sup>	STEL: 100 mg/m <sup>3</sup>
A4::-I	TWA: 52 m		TMA: 052	T)/// . 40		A*	iho*
Acetic acid 64-19-7	STEL: 50 m		TWA: 25 mg/m <sup>3</sup> Ceiling: 50 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>		: 10 ppm	TWA: 5 ppm TWA: 13 mg/m <sup>3</sup>
04-19-7	STEL: 20 բ TWA: 10 բ		Celling. 50 mg/m <sup>2</sup>	I WA. 25 IIIg/III°		25 mg/m <sup>3</sup> : 10 ppm	STEL: 10 ppm
	TWA: 10 p					25 mg/m <sup>3</sup>	STEL: 10 ppin STEL: 25 mg/m <sup>3</sup>
Chemical name	France		Germany TRGS	Germany DFG		reece	Hungary
Ethylene glycol	TWA: 20 p		TWA: 10 ppm	TWA: 10 ppm		: 50 ppm	TWA: 52 mg/m <sup>3</sup>
107-21-1	TWA: 52 m		TWA: 26 mg/m <sup>3</sup>	TWA: 26 mg/m <sup>3</sup>		125 mg/m <sup>3</sup>	STEL: 104 mg/m <sup>3</sup>
107 21 1	STEL: 40 p		1 777 t. 20 mg/m	Peak: 20 ppm		: 50 ppm	*
	STEL: 104 n			Peak: 52 mg/m <sup>3</sup>		125 mg/m <sup>3</sup>	
		3		*	_	- 3	
Acetic acid	TWA: 10 p	pm	TWA: 10 ppm	TWA: 10 ppm	TWA:	: 10 ppm	TWA: 25 mg/m <sup>3</sup>
64-19-7	TWA: 25 m		TWA: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>		25 mg/m <sup>3</sup>	STEL: 50 mg/m <sup>3</sup>
	STEL: 20 p	pm		Peak: 20 ppm	STEL	: 15 ppm	· ·
	STEL: 50 m	ıg/m³		Peak: 50 mg/m <sup>3</sup>		37 mg/m <sup>3</sup>	
Chemical name	Ireland		Italy MDLPS	Italy AIDII		atvia	Lithuania
Ethylene glycol	TWA: 20 p		TWA: 20 ppm	TWA: 25 ppm		: 20 ppm	*
107-21-1	TWA: 52 m		TWA: 52 mg/m <sup>3</sup>	STEL: 50 ppm		52 mg/m³	TWA: 10 ppm
	STEL: 40 p		STEL: 40 ppm	STEL: 10 mg/m <sup>3</sup>		: 40 ppm	TWA: 25 mg/m <sup>3</sup>
	STEL: 104 n	ng/m³	STEL: 104 mg/m <sup>3</sup>		STEL: '	104 mg/m³	STEL: 20 ppm
	Sk*		pelle*			*	STEL: 50 mg/m <sup>3</sup>
Acetic acid	TWA: 20 p	pm	TWA: 25 ppm	TWA: 10 ppm		: 10 ppm	TWA: 10 ppm
64-19-7	TWA: 50 m		TWA: 10 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>		25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>
	STEL: 20 p		STEL: 50 mg/m <sup>3</sup>	STEL: 15 ppm	STEL: 50 mg/m <sup>3</sup>		STEL: 50 mg/m <sup>3</sup>
	STEL: 50 m		STEL: 20 ppm			: 20 ppm	STEL: 20 ppm
Chemical name	Luxembo	urg	Malta	Netherlands		orway	Poland
Ethylene glycol	*		*	TWA: 52 mg/m <sup>3</sup>		104 mg/m <sup>3</sup>	STEL: 50 mg/m <sup>3</sup>
107-21-1	STEL: 40 p		STEL: 40 ppm	TWA: 10 mg/m <sup>3</sup>	SIEL	: 40 ppm	TWA: 15 mg/m <sup>3</sup>
	STEL: 104 n		STEL: 104 mg/m <sup>3</sup>	STEL: 40 ppm			
	TWA: 20 p		TWA: 20 ppm	STEL: 104 mg/m <sup>3</sup>			
A - a + i - a - i - d	TWA: 52 m		TWA: 52 mg/m <sup>3</sup>	H*	CTEL	. 20	CTEL : 50/3
Acetic acid 64-19-7	STEL: 50 m STEL: 20 p		STEL: 20 ppm STEL: 50 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>		: 20 ppm 50 mg/m³	STEL: 50 mg/m <sup>3</sup> TWA: 25 mg/m <sup>3</sup>
04-19-7	TWA: 10 p		TWA: 10 ppm	STEL: 20 ppm	SIEL.	50 mg/m²	TWA. 25 mg/m²
	TWA: 10 p	u/m3	TWA: 10 ppin TWA: 25 mg/m <sup>3</sup>	STEL: 20 ppm STEL: 50 mg/m <sup>3</sup>			
Chemical name	Portuga		Romania	Slovakia	Sic	ovenia	Spain
Ethylene glycol	TWA: 20 p		TWA: 20 ppm	TWA: 20 ppm		: 20 ppm	TWA: 20 ppm
107-21-1	TWA: 52 m		TWA: 52 mg/m <sup>3</sup>	TWA: 52 mg/m <sup>3</sup>		52 mg/m <sup>3</sup>	TWA: 52 mg/m <sup>3</sup>
	STEL: 40 p		STEL: 40 ppm	*		STEL ppm	STEL: 40 ppm
	STEL: 104 n		STEL: 104 mg/m <sup>3</sup>	Ceiling: 104 mg/m <sup>3</sup>		TEL mg/m <sup>3</sup>	STEL: 104 mg/m <sup>3</sup>
	Ceiling: 100		*			*	vía dérmica*
Acetic acid	TWA: 10 p		TWA: 10 ppm	TWA: 10 ppm	TWA:	: 10 ppm	TWA: 10 ppm
64-19-7	TWA: 25 m		TWA: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>		25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>
	STEL: 20 p		STEL: 20 ppm	: 20 ppm   Ceiling: 50 mg/m³   STEL: STE		TEL mg/m <sup>3</sup>	STEL: 20 ppm
	STEL: 50 m		STEL: 50 mg/m <sup>3</sup>		STEL:	STEL ppm	STEL: 50 mg/m <sup>3</sup>
Chemical name			weden	Switzerland			ted Kingdom
Ethylene glycol	NGV: 10 ppm			TWA: 10 ppm			A: 10 mg/m <sup>3</sup>
107-21-1			TWA: 26 mg/m			VA: 20 ppm	
			STEL: 20 ppm			A: 52 mg/m <sup>3</sup>	
Bindande KGV: 104 m		GV: 104 mg/m <sup>3</sup>	STEL: 52 mg/m	13		EL: 40 ppm	
*		*	H*			L: 104 mg/m <sup>3</sup>	
						STE	EL: 30 mg/m <sup>3</sup>
A 4! ! -!		NIO	/. F mmm	T\\\\^ - 40 =		-	Sk*
Acetic acid		NGV:	/: 5 ppm	TWA: 10 ppm			VA: 10 ppm
64-19-7	D:-		13 mg/m <sup>3</sup>	TWA: 25 mg/m			A: 25 mg/m <sup>3</sup>
	Bindande KGV: 10 ppm			STEL: 20 ppm		<u> </u>	EL: 20 ppm

Revision (	date 01	1-09-2025
------------	---------	-----------

Bindande KGV: 25 mg/m <sup>3</sup>	STEL: 50 mg/m <sup>3</sup>	STEL: 50 mg/m <sup>3</sup>

#### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Hand protection** Wear suitable gloves.

**Skin and body protection**Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

**Environmental exposure controls** No information available.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Colour red
Odour Pungent.

**Odour threshold** 

Property Values Remarks • Method

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known Autoignition temperature No data available None known Decomposition temperature None known

pH > 2.1 None known

pH (as aqueous solution)

No data available

No information available

Kinematic viscosity No data available None known Dynamic viscosity No data available None known No data available Water solubility None known No data available Solubility(ies) None known Partition coefficient No data available None known Vapour pressure No data available None known Relative density No data available None known

# **EMECNEUTR30** - **Electronic Conductivity Neutralizer**

Revision date 01-09-2025

**Bulk density** No data available **Liquid Density** No data available Relative vapour density No data available

Particle characteristics **Particle Size Particle Size Distribution**  None known

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

# SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Specific test data for the substance or mixture is not available. Causes serious eye irritation. Eye contact

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

**Revision date** 01-09-2025

gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes.

Numerical measures of toxicity

#### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 623.20 mg/kg
ATEmix (dermal) 3,973.60 mg/kg
ATEmix (inhalation-dust/mist) 4.65 mg/l

# Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 82.35 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 82.35 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50		
Ethylene glycol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat) 6 h		
Acetic acid	= 3310 mg/kg (Rat)	= 1060 mg/kg ( Rabbit )	= 11.4 mg/L (Rat) 4 h		

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitisation** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** 

11.2.2. Other information

Other adverse effects

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

# **Ecotoxicity**

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene glycol	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	Oncorhynchus mykiss) LC50: 40000 - 60000mg/L (96h, Pimephales promelas) LC50: =16000mg/L (96h, Poecilia reticulata) LC50: =27540mg/L (96h, Lepomis macrochirus) LC50: =40761mg/L (96h, Oncorhynchus mykiss) LC50: =41000mg/L (96h,		EC50: =46300mg/L (48h, Daphnia magna)
Acetic acid	-	Oncorhynchus mykiss) LC50: =75mg/L (96h, Lepomis macrochirus) LC50: =79mg/L (96h, Pimephales promelas)	-	EC50: =65mg/L (48h, Daphnia magna)

# 12.2. Persistence and degradability

Persistence and degradability

# 12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Ethylene glycol	-1.36
Acetic acid	-0.17

# 12.4. Mobility in soil

Mobility in soil

# 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Ethylene glycol	The substance is not PBT / vPvB PBT assessment does
	not apply
Acetic acid	The substance is not PBT / vPvB PBT assessment does
	not apply

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** 

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

# **SECTION 14: Transport information**

Į	Α	I	Ά

14.1 UN number or ID number Not regulated

14.2 14.3 Transport hazard class(es)

Not regulated Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

**Special Provisions** None

**IMDG** 

Not regulated 14.1 UN number or ID number

14.2

14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant Not applicable

14.6 Special precautions for user **Special Provisions** 

14.7 Maritime transport in bulk

according to IMO instruments

RID

14.1 UN number or ID number Not regulated

14.2

Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

**Special Provisions** None

ADR

Not regulated 14.1 UN number or ID number

14.2

14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

None

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Ethylene glycol	RG 84	-
107-21-1		

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### **Persistent Organic Pollutants**

Not applicable

#### Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Acetic acid - 64-19-7	Plant protection agent

# **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Does not comply **ENCS** Complies **IECSC** Does not comply **KECL PICCS** Complies AICS Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

#### **Chemical Safety Report**

# **SECTION 16: Other information**

\_\_\_\_\_

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Olassification massachus			
Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		
Acute inhalation toxicity - gas	Calculation method		
Acute inhalation toxicity - Vapour	Calculation method		
Acute inhalation toxicity - dust/mist	Calculation method		
Skin corrosion/irritation	Calculation method		
Serious eye damage/eye irritation	Calculation method		
Respiratory sensitisation	Calculation method		
Skin sensitisation	Calculation method		
Mutagenicity	Calculation method		
Carcinogenicity	Calculation method		
Reproductive toxicity	Calculation method		
STOT - single exposure	Calculation method		
STOT - repeated exposure	Calculation method		
Acute aquatic toxicity	Calculation method		
Chronic aquatic toxicity	Calculation method		
Aspiration hazard	Calculation method		
Ozone	Calculation method		

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 01-09-2025

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

\_\_\_\_\_\_

**EMECNEUTR30** - **Electronic Conductivity Neutralizer** 

Revision date 01-09-2025

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**